REF No.:	MSDS/01
KET NO.:	MISDS/01
Rev. Date:	15/11/15
Issue Date:	15/11/15
Version No.	1

Material Safety Data Sheet ECO-IMPRES-2068A

1. Product & Company Identification:

Product Details

Description: Acrylic Emulsion
Product Code/s: Eco-Impres-2068 A

Recommended Use: For Indl. (Chem. Ind.) use only

Chemical family: Polymer

Company Details

ANUVI CHEMICALS LTD

Address: 210/211, Narmada, Telephone: +91 22 25855379
Laxmi Indl. Premises, Pokhran Fax: +9122 2585 5714
Rd., Vartak Nagar, Thane E-Mail: sales@anuvichem.com
Website: www.anuvichem.com

2. Composition / Information on Ingredients

Chemical Characterization:CAS #% RangeAcrylic Solution in Water:EC 1272/200845 - 55Ammonium Hydroxide1336 - 21 - 6<3-10%

Hazards not otherwise Classified:

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency Overview: Use with local exhaust ventilation. Handle in

accordance with good industrial hygiene and safety practice. If used as intended, this product is not expected to present a physical or health hazard.

3. Hazards Identification:

Emergency Overview:

Physical appearance: Free flowing milky to translucent liquid – Characteristic

odour

Potential Health Effects:

Eyes: May cause eye burning or irritation on over exposure
Skin: May cause irritation in the form of redness, burning or
dermatitis (last one in severe cases or person being allergic)

Ingestion: Chemicals present in this mixture may be harmful if

swallowed. Also may affect nervous system and cause

abdominal discomfort.

Inhalation: May cause moderate respiratory irritation, dizziness, fatigue,

nausea & headache

4. First Aid Measures:

Eyes: Immediately flush eyes with plenty of water for two to three minutes. Remove eye

contact lenses (if wearing one) and continue flushing with water for 15 minutes. Get

medical attention

Skin: Remove contaminated clothing and immediately wash affected area with plenty of

soap and water. Seek medical attention where necessary. Wash contaminated

clothing before use.

Ingestion: Contact local medical practitioner or medical help. Do not induce vomiting unless

advised by medical practitioner. If vomiting occurs then keep head lower than hips

to help prevent aspiration. Get medical attention immediately.

Inhalation: Remove the patient to fresh air (open and airy space), supply oxygen if breathing is

difficult. Seek medical attention immediately.

Clothing Remove contaminated clothing and wash the affected body part/s with water

5. Flammability & Fire Fighting Measures:

Extinguishing media: Water spray, Dry Powder and Foam

Hazardous combustion Harmful vapours. Evolution of fumes & fog. Substances / group of substances

products: can be released in case of fire.

Fire fighting equipment: Fire fighters must be equipped with self contained breathing apparatus and

turn-out gear.

Contaminated fire extinguishing water must be disposed off in accordance with

the official regulations.

6. Accidental Release (spillage / leakage) Measures:

General procedure: Vacate area of spill or leak. Wear appropriate personal protective equipment.

Contain and recover liquid to the extent possible Collect the liquid in an appropriate container or absorb with an inert material like saw dust / dry sand / universal binder acid binder or cloth stripes (Chindhi) etc. Disperse any vapour and flush spill away from the personnel or other ignitable material. Whatever is collected from the

accidental release – treat as prescribed under "Disposable Material"

Do not discharge in to drains, ground water and/or surface water streams.

7. Handling & Storage:

General procedure: No special measures necessary provided product is used correctly

Precautions against Fire & No special precaution/s necessary

-

Conditions for storage, Keep containers tightly closed and in a cool place

including ay incompatibilities

Explosion

Shelf LifeOne year from date of manufacture when stored in original sealed container at

recommended storage temperature range.

8. Exposure Control & Personal Protection:

Exposure guidelines: OSHA Hazardous Components (29 CIR 1910.1200) – Exposure Limits **Personal Protection Equipment:**

Eye & face: Wear safety glasses with side shields or goggles when handling this material Skin:

Wear impervious gloves and appropriate protective clothing as required to

minimize contact with skin

A half-face organic vapour respirator maybe worn for protection up to ten or Respiratory:

> full-face respirator for protection up to fifty times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency

or respirator supplier. Which ever is lowest must be followed. For emergencies where the exposure levels are unknown, use a full-face air

respirator.

9. Physical & Chemical Properties:

Physical State: Liquid

Odour: Ammonia like

Odour Threshold No applicable information available

8 to 10 рH

Vapour Density: Heavier than air **Boiling Point:** Around 100 deg. C

Freezing Point: 0 deg. C Melting Point: Not applicable

Solubility in Water: Yes Flash Point $> 100^{\circ}C$ Flammability

Not Flammable

Lower explosion limit 15 % (V)

Upper explosion limit 28 % (V)

Auto-ignition Due to high water content - product does not ignite

Density 1.04 g/cm^3

Thermal decomposition Stable up to boiling point

VOC or % Volatilities: < 1 %

Not determine Evaporation rate

10. Stability & reactivity:

Reactivity No hazards if stored / handled as prescribed

Oxidizing properties No fire propagation

Chemical Stability: Product is stable if product is stored and handled as prescribed.

Polymerization or Shall not occur, if product is stored as prescribed

Hazardous reactions:

Conditions to avoid See sec. 7 (Handling & Storage) No such material identified Incompatible material/s

hazards

Hazardous No hazards if stored / handled as prescribed

decomposition products

Thermal decomposition Stable up to boiling point

11. Toxicological Information:

Primary routes of Routes of entry for solids and liquids are ingestion and inhalation,

exposure but may include eye or skin contact.

Routes of entry for gases include inhalation and eye contact.

Skin contact may be a route of entry for liquefied gases.

Acute Toxicity: Assessment of acute toxicity: Virtually nontoxic after a single

ingestion.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

12. Ecological Information:

Environmental data: No data available.

13. Disposal Considerations:

Product: Material that cannot be transferred to recovery or re-cycle should

be handled as hazardous waste and the extract disposed off at a Govt. Approved waste facility or incinerator (or handed over to waste handling authorised contract). Always dispose according to the current regulations or the acts of the country of residence.

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous

under RCRA.

Un-cleaned packing: Contaminated packing material should be emptied as for as

possible and after appropriate cleaning could be re-used or

disposed as per the regulations.

14. Transport Information:

Department of Transportation Rules:

Proper Shipping Name: Polymer Emulsion

Technical Name: Acrylic Polymer Emulsion

Land Transport (USDOT)

Sea Transport (IMDG)

Air Transport (IATA /

Not classified as Dangerous Goods under Transport Regulations

Not classified as Dangerous Goods under Transport Regulations

ICAO):

15. Regulatory Information:

Federal regulations ...

Registration status Chemical - TSCA US Released list

EPCRA 311/322 Hazard Acute; Chronic

category

NFPA Hazard Codes Health: 1; Fire: 0; Reactivity: 0; Special: None HMIS III Rating Health: 1; Flammability: 0; Physical hazard: 0

16. Other Information:

NFPA Codes:	Health	1	HMS Codes:	Health	1
	Fire	0		Fire	0
	Reactivity	0		Reactivity	0
				Protection	G

Additional Information

The OSHA Hazard Communication Standard, 29 CFR 1910.1200, Paragraph (g) (4), specifically permits chemical manufacturers to single MSDS for a category of complex mixtures, where those "**Mixtures**" have similar Hazards and contents. Therefore this MSDS applies to the range of products described in Section 1, or all products with the same product name listed in section 1 (unless described otherwise). Where specific data is required for the purposes of regulatory reporting, a Technical Data Sheet shall be provided for the specific product, on request to us (manufacturer).

Manufacturers
Disclaimer:

Information given herein is offered in good faith as accurate, but without guarantee. Conditions of issue and stability of the product for particular use and suitability of the product for specific application/s are beyond our control; all risks of use of this product are therefore assumed by the user. Nothing is intended as a recommendation for uses, which infringe valid Patents or extending Licence under valid Patents. Appropriate warning and safe handling procedures should be provided to all the handlers and users of this material.